

What should you expect from your **ADHD medication?**

IMPORTANT SAFETY INFORMATION

DYANAVEL® XR (amphetamine) is a federally controlled substance (CII) because it contains amphetamine that can be a target for people who abuse prescription medicines or street drugs. DYANAVEL XR has a high chance for abuse and misuse and may lead to substance use problems, including addiction. Keep DYANAVEL XR in a safe place to prevent abuse and misuse. Never give your DYANAVEL XR to anyone else because it may cause death or harm them. Selling or giving away DYANAVEL XR may harm others and is against the law.

Please see additional Important Safety Information throughout, and <u>Full Prescribing Information</u>, including Boxed Warning about Abuse, Misuse and Addiction, and <u>Medication Guide</u>.

Living with adult ADHD can be challenging, but you're not alone





ADHD in adults isn't just about work or school — it can cause symptoms throughout the day and into the evening, affecting different areas of your life²

Stimulants are often recommended for adult patients with ADHD, but many factors can affect how people respond to some medications. Not all stimulant medications work the same or last for the same amount of time.^{2,3}

If you need your ADHD medication to work consistently — through the day, every day — DYANAVEL XR (amphetamine) may be able to help.

When you're ready for consistency,

It's time for DYANAVEL XR

An amphetamine with **unique technology** designed to give you:



Continuous release of amphetamine through the day^{4,5}



Consistent. smooth drug

Predictable, long-lasting symptom control^{7,8}

WHAT IS DYANAVEL XR?

DYANAVEL XR is a central nervous system (CNS) stimulant prescription medicine used for the treatment of Attention Deficit Hyperactivity Disorder (ADHD) in people 6 years and older. DYANAVEL XR may help increase attention and decrease impulsiveness and hyperactivity in people with ADHD.

deliverv^{4,6}


It is not known if DYANAVEL XR is safe and effective in children under 6 years of age.

IMPORTANT SAFETY INFORMATION (cont'd)

- Your healthcare provider should check you or your child's risk for abuse, misuse, and addiction before starting treatment with DYANAVEL XR and will monitor you or your child during treatment.
- Tell your physician if you, your child, or any family members have ever abused or been dependent on alcohol, prescription medicines, or street drugs.

DYANAVEL XR (amphetamine) is uniquely designed for consistent drug release

Many factors can affect how stimulant medications for ADHD work. Our technology was designed to release medication consistently—through the day, every day. With DYANAVEL XR, each extended-release particle has a unique protective coating, so release of amphetamine is **not affected by**^{4,5,6,9}:



Smooth drug release for predictable symptom control^{4,5,7}

• Predictable symptom control⁷

With DYANAVEL XR, amphetamine is released by diffusion in a smooth and consistent way through the day^{4,6}

• Works with your daily routine

In a pharmacokinetic study, drug levels were similar whether DYANAVEL XR was taken on an empty stomach or with food and whether chewed or swallowed^{4,6}

IMPORTANT SAFETY INFORMATION (cont'd)

DYANAVEL XR should not be taken if you or your child are allergic to amphetamine or any of the ingredients in DYANAVEL XR or are taking or have taken within the past 14 days an anti-depression medicine called a monoamine oxidase inhibitor or MAOI, including the antibiotic linezolid and the intravenous medicine methylene blue.

DYANAVEL XR can cause serious side effects including:

Risks for people with serious heart disease: Sudden death has happened in people who have heart defects or other serious heart disease. Before starting DYANAVEL XR, tell your healthcare provider if you or your child have any heart problems, heart disease, or heart defects.
 Call your healthcare provider or go to the nearest hospital emergency room right away if you or your child has any signs of heart problems such as chest pain, shortness of breath, or fainting during treatment with DYANAVEL XR.

Please see additional Important Safety Information throughout, and <u>Full Prescribing Information</u>, including Boxed Warning about Abuse, Misuse and Addiction, and <u>Medication Guide</u>.



Long-lasting ADHD symptom control

DYANAVEL XR (amphetamine) was studied to evaluate safety and symptom control throughout the day.⁷



Measured with a **standardized performance test**, the PERMP*, that assesses the ability to initiate a task, self-monitor/stay on task, and complete written seatwork.⁷



Shown to improve ADHD symptoms compared to placebo – the primary test result, mean PERMP-T score averaged over timepoints post-dose (0.5, 1, 2, 4, 8, 10, 12, 13, and 14 hours) was improved.⁷

*PERMP-T, Permanent Product Measure of Performance Total

DYANAVEL XR demonstrated efficacy at treating ADHD in adults, with common side effects as seen with other stimulants for ADHD.

Dosing to meet your needs

With **four dosing options** – including a 5 mg tablet that can be divided in two – your doctor can work with you to find what works for you.⁶



Tablets are not shown at actual size.

DYANAVEL XR tablet can be swallowed or chewed.⁶

IMPORTANT SAFETY INFORMATION (cont'd)

DYANAVEL XR can cause serious side effects including (cont'd):

- Increase in blood pressure and heart rate. Your healthcare provider should check your or your child's blood pressure and heart rate regularly during treatment with DYANAVEL XR.
- Mental (psychiatric) problems, including new or worse behavior and thought problems, new or worse bipolar illness, new psychotic symptoms (such as hearing voices, or seeing or believing things that are not real) or new manic symptoms.
 Tell your healthcare provider about any mental problems you or your child have, or about a family history of suicide, bipolar illness, or depression. Call the doctor right away if there are any new or worsening mental symptoms during treatment.

Circulation problems in fingers and toes (peripheral vasculopathy, including Raynaud's phenomenon). Tell your healthcare provider if you or your child have numbness, pain, skin color change, or sensitivity to temperature in your fingers or toes. Call the doctor right away if you or your child have any signs of unexplained wounds appearing on fingers or toes during treatment with DYANAVEL XB.

Guaranteed Availability, Free Delivery



DYANAVEL Delivered

Ask your doctor how you can easily get your DYANAVEL XR (amphetamine) tablets

DyanavelXR (amphetamine) extended-release DELIVERED & Perigen



GUARANTEED AVAILABILITY

Perigon Pharmacy 360 works directly with Tris Pharma to ensure DYANAVEL XR tablets are always available.

C

FREE & FAST DELIVERY

DYANAVEL XR tablets will be delivered directly to the address of your choice with no delivery fee (signature required).



FULL PATIENT SUPPORT

If you have any questions or concerns, call **1.844.698.2533**. The Care Delivery team is available to help you from 9 AM to 6 PM ET, Monday-Friday.

What will you pay?



- **\$25 PER MONTH** with copay savings program* if your commercial insurance covers DYANAVEL XR tablets.
- \$100 PER MONTH for all eligible patients who choose to pay cash**

LEARN MORE AT DYANAVEL.COM/DELIVERED

IMPORTANT SAFETY INFORMATION (cont'd)

DYANAVEL XR can cause serious side effects including (cont'd):

- New or worsening tics or worsening Tourette's syndrome. Tell your healthcare provider if you or your child get any new or worsening tics or worsening Tourette's syndrome during treatment with DYANAVEL XR.
- Serotonin Syndrome. This problem may happen when DYANAVEL XR is taken with certain other medicines and may be life-threatening. Stop taking
 DYANAVEL XR and call your healthcare provider or go to the nearest hospital emergency room if you get symptoms such as agitation, hallucinations, coma, or
 other changes in mental status; fast heartbeat; sweating or fever; nausea, vomiting, diarrhea; high or low blood pressure; problems controlling movements or
 muscle twitching; muscle stiffness or tightness.
- Slowing of growth (height and weight) in children. Children should have their height and weight checked often during treatment with DYANAVEL XR. Your healthcare provider may stop your child's DYANAVEL XR treatment if they are not growing or gaining weight as expected.

Please see additional Important Safety Information throughout, and <u>Full Prescribing Information</u>, including Boxed Warning about Abuse, Misuse and Addiction, and <u>Medication Guide</u>.

Prefer your local pharmacy?



<section-header><text><text><text><text><text><text><text><text><text>

LEARN MORE AT COUPON.TRISADHD.COM

*RESTRICTIONS: All DYANAVEL XR tablet savings offers are valid only in the United States and Puerto Rico. By using these offers, the patient certifies that he or she will comply with any terms of his or her health insurance contract requiring notification to his or her payer of the existence and/or value of the offers. It is illegal to (or offer to) sell, purchase, or trade these offers. These offers are not transferable and is limited to one offer per person per prescription. Void where prohibited by law. Tris Pharma reserves the right to rescind, revoke, or amend these offers without notice at any time.

*Copay Savings Program: This offer is for patients with commercial or private insurance only and not for patients with government insurance. Copay for high deductible plans may vary. Cash Discount Cards and other non-insurance plans are not valid as primary under this offer. If the patient is eligible for drug benefits under any such program, the patient cannot use this offer. Patients with government insurance includes all patients who are a member, recipient or beneficiary of a government healthcare program such as Medicaid, a Medicare drug benefit plan, TRICARE, or other federal or state health programs (such as medical assistance programs).

****Cash Offer:** This offer is available to patients if they have no insurance or are underinsured such that the patient's applicable insurance does not adequately cover the cost of DYANAVEL. Only valid through the DYANAVEL Delivered by Perigon program. Not for patients with prescription insurance through State Medicaid or Managed Medicaid plans. For patients with other government insurance, the patient must agree in writing to not submit a claim for reimbursement to any government insurance program and commit to paying the cash price though the end of the defined plan year. Patients may not count the cash price paid via the Cash Offer as an expense incurred for purposes of determining out-of-pocket costs for any government insurance plan, including true out-of-pocket costs (TrOOP), for purposes of calculating the out-of-pocket spending threshold or triggering catastrophic coverage for Medicare Part D plans.

Visit dyanavel.com/delivered for full terms and conditions.

IMPORTANT SAFETY INFORMATION (cont'd)

- It is not known if DYANAVEL XR (amphetamine) will harm the unborn baby. There is a pregnancy registry for females who are exposed to DYANAVEL XR during pregnancy. The purpose of the registry is to collect information about the health of females exposed to DYANAVEL XR and their baby. If you or your child becomes pregnant during treatment with DYANAVEL XR, talk to your healthcare provider about registering with the National Pregnancy Registry for Psychostimulants at 1-866-961-2388 or visit <u>https://womensmentalhealth.org/clinical-and-research-programs/pregnancyregistry/othermedications/.</u>
- DYANAVEL XR passes into breast milk. You or your child should not breastfeed during treatment with DYANAVEL XR. Tell your doctor if you are breastfeeding or plan to breastfeed.

The most common side effects of amphetamine products include:

- dry mouth trouble sleeping
 - decreased appetite restlessness
- weight loss
- stomach pain
 dizziness
- nausea increased heart rate

Talk to your doctor if you or your child have any side effects that bother you or do not go away. Avoid drinking alcohol while taking DYANAVEL XR.

- extreme mood changes

You are encouraged to report side effects of prescription drugs to the FDA. Visit <u>www.fda.gov/medwatch</u>, or call 1-800-FDA-1088.

For people 6 years and older with Attention Deficit Hyperactivity Disorder (ADHD)

DYANAVELXR (amphetamine) extended-release tablets 5 mg • 10 mg • 15 mg • 20 mg

Should you expect more from your ADHD medication?

DYANAVEL XR Delivers!

Continuous release of amphetamine^{4,5}
 Consistent, smooth drug delivery^{4,6}
 Long-lasting with proven all-day symptom control^{7,8}
 Guaranteed availability, low cost, and free, fast delivery with DYANAVEL Delivered

To learn more about DYANAVEL XR (amphetamine) tablets, visit trisadhd.com/dyanavel-xr-tablet

References: 1. Kessler RC, Adler L, Barkley R, Biederman J, Conners CK, Demler O, Faraone SV, Greenhill LL, Howes MJ, Secnik K, Spencer T, Ustun TB, Walters EE, Zaslavsky AM. The prevalence and correlates of adult ADHD in the United States: results from the National Comorbidity Survey Replication. *Am J Psychiatry.* 2006 Apr;163(4):716-23. **2.** Jain R. Addressing diagnosis and treatment gaps in adults with attention-deficit/hyperactivity disorder. Prim Care Companion CNS Disord. 2017;19(5):17nr02153. **3.** Ermer JC, Adeyi BA, Pucci ML. Pharmacokinetic variability of long-acting stimulants in the treatment of children and adults with attention-deficit hyperactivity disorder. *CNS Drugs.* 2010;24(12):1009-1025. **4.** Pardo A, Kando JC, King TR, Rafla E, Herman BK. Single-dose pharmacokinetics of amphetamine extended-release tablets compared with amphetamine extended-release oral suspension. *CNS Spectr.* 2020;25(6):774-781. **5.** Kando JC, King TR, Pardo A. A novel, modified-release drug delivery technology containing amphetamine and methylphenidate ion-exchange complexes. Poster presented at: American Psychiatric Association Annual Meeting; May 1-3, 2021. **6.** Dyanavel XR [package insert]. Tris Pharma, Inc., Monmouth Junction, NJ. **7.** Cutler AJ, Childress AC, Pardo A, et al. Randomized, double-blind, placebo-controlled, fixed-dose study to evaluate the efficacy and safety of amphetamine extended-release tablets in adults with attention-deficit/hyperactivity disorder. *J Clin Psychiatry.* 2022;83(5):22m14438. **8.** Childress AC, Wigal SB, Brams MN, et al. Efficacy and safety of amphetamine extended release oral suspension in children with attention-deficit/hyperactivity disorder. *J Child Adolesc Psycholpharmacol.* 2018;28(5):306-313. **9.** Powell JJ, Greenfield SM, Thompson RP. Concentrations of metals in gastric juice in health and peptic ulcer disease. *Gut.* 1992;33(12):1617-1620.

Please see additional Important Safety Information throughout, and <u>Full Prescribing Information</u>, including Boxed Warning about Abuse, Misuse and Addiction, and <u>Medication Guide</u>.



DYANAVEL is a registered trademark of Tris Pharma, Inc. © 2024 Tris Pharma, Inc. All rights reserved. DXR.2302.PR 02/24